

# **Film Capacitors**

Metallized Polypropylene Film Capacitors (MKP)

Series/Type: B32774H ... B32778H

Date: June 2018

© EPCOS AG 2018. Reproduction, publication and dissemination of this publication, enclosures hereto and the information contained therein without EPCOS' prior express consent is prohibited.

EPCOS AG is a TDK Group Company.



### Metallized Polypropylene Film Capacitors (MKP)

B32774H ... B32778H

#### MKP DC link - high density THB series

#### **Typical applications**

- Frequency converters
- Industrial and high-end power supplies
- Solar inverters

#### Climatic

- Max. operating temperature: 105 °C (case)
- Climatic category (IEC 60068-1:2013): 40/105/56

#### Construction

- Dielectric: Polypropylene (MKP)
- Plastic case (UL 94 V-0)
- Epoxy resin sealing (UL 94 V-0)

#### **Features**

- For severe ambient conditions
- High CV product, compact
- Good self-healing properties
- Over-voltage capability
- Low losses with high current capability
- High reliability
- Long useful life
- RoHS-compatible
- AEC-Q200D compliant

#### **Terminals**

- Parallel wire leads, lead-free tinned
- 2-pin and 4-pin versions
- Standard lead lengths: 6 –1 mm

#### Marking

Manufacturer's logo and lot number, date code, rated capacitance (coded), capacitance tolerance (code letter) and rated DC voltage

#### **Delivery mode**

Bulk (untaped)






## **Dimensional drawings**

Number of wires	Lead spacing e ±0.4	Lead diameter d <sub>1</sub> ±0.05	Туре
2-pin	27.5	0.8	B32774H
2-pin	37.5	1.0	B32776H
4-pin	37.5	1.2	B32776H
4-pin	52.5	1.2	B32778H

Dimensions in mm

## Dimensional drawings 2-pin versions

## B32774H, B32776H






	B32774H	B32776H
Lead spacing e ±0.4:	27.5	37.5
Lead diameter d₁:	0.8	1.0

Dimensions in mm

## Dimensional drawings 4-pin versions

### B32776H, B32778H





	B32776H	B32778H
Lead spacing e ±0.4:	37.5	52.5
Lead diameter d₁:	1.2	1.2

Dimensions in mm





## B32774H ... B32778H

## $\label{eq:mkp} \textbf{MKP DC link} - \textbf{high density THB series}$

## Overview of available types

Lead spacing 27.5 mm				37.5 mm								
Туре	B3277	74H					B3277	76H				
Page	6						8					
V <sub>R</sub> (V DC)	450	500	700	800	920	1100	450	500	700	800	920	1100
C <sub>R</sub> (μF)												
1.5												
1.8												
2.2												
2.7												
3.3												
3.9												
4.7												
5.6												
6.8												
8.2												
10												
12												
15												
18												
22												
27												
30												
33												
35												
39												
47												





## Overview of available types

Lead spacing	52.5 mm					
Туре	B32778H					
Page	11					
V <sub>R</sub> (V DC)	450	500	700	800	920	1100
C <sub>R</sub> (μF)						
18						
22						
27						
30						
33						
35						
39						
47						
50						
56						
68						
75						
82						
90						
100						
120						





### MKP DC link - high density THB series

### Ordering codes and packing units (lead spacing 27.5 mm)

$\overline{C_R^{1)}}$	Max. dimensions	Ordering code	I <sub>RMS,max</sub> <sup>2)</sup>	ESR <sub>typ</sub>	ESL <sub>typ</sub> <sup>3)</sup>	tan δ	tan δ	Un-
	$w \times h \times l$	(composition see	70 °C	70 °C	70 °C	max.	max.	taped
		below)	10 kHz	10 kHz	10 kHz	1 kHz	10 kHz	pcs./
μF	mm	,	Α	$m\Omega$	nH	10 <sup>-3</sup>	10 <sup>-3</sup>	MOQ
V <sub>R,85</sub>	°C = 450 V DC, V <sub>op,70</sub>	°c = 450 V DC		<u>'</u>	<u>'</u>		1	
3.3	$11.0 \times 19.0 \times 31.5$	B32774H4335+000	3.5	30.4	17.0	1.2	10.7	2352
3.9	$11.0 \times 21.0 \times 31.5$	B32774H4395+000	4.0	26.0	17.0	1.2	10.7	2352
4.7	$11.0 \times 21.0 \times 31.5$	B32774H4475K000	4.5	22.0	20.0	1.3	10.7	2352
5.6	$13.5 \times 23.0 \times 31.5$	B32774H4565+000	5.0	18.5	18.0	1.3	10.8	1932
6.8	$13.5 \times 23.0 \times 31.5$	B32774H4685K000	6.0	15.3	21.0	1.3	10.9	1932
8.2	$15.0 \times 24.5 \times 31.5$	B32774H4825K000	6.5	12.8	22.0	1.3	11.0	1680
10.0	$18.0 \times 27.5 \times 31.5$	B32774H4106+000	8.0	10.7	22.0	1.3	11.1	1428
12.0	$18.0 \times 27.5 \times 31.5$	B32774H4126K000	9.0	9.0	25.0	1.3	11.3	1428
V <sub>R,85</sub>	$_{\rm C} = 500 \text{ V DC}, V_{\rm op,70}$	o°c = 575 V DC						
3.3	$11.0 \times 21.0 \times 31.5$	B32774H5335+000	4.0	25.1	19.0	1.0	8.7	2352
3.9	$12.5 \times 21.5 \times 31.5$	B32774H5395K000	4.5	21.3	20.0	1.0	8.7	2100
4.7	$13.5 \times 23.0 \times 31.5$	B32774H5475+000	5.5	17.8	20.0	1.0	8.7	1932
5.6	$14.0 \times 24.5 \times 31.5$	B32774H5565K000	6.0	15.1	22.0	1.1	8.8	1848
6.8	$18.0 \times 27.5 \times 31.5$	B32774H5685+000	7.5	12.5	22.0	1.1	8.9	1428
8.2	$18.0 \times 27.5 \times 31.5$	B32774H5825+000	8.0	10.5	25.0	1.1	9.0	1428
10.0	$19.0 \times 30.0 \times 31.5$	B32774H5106+000	9.5	10.5	27.0	1.1	9.2	896
V <sub>R,85</sub>	$_{\rm C} = 700 \text{ V DC}, V_{\rm op,70}$	<sub>0°C</sub> = 800 V DC						
2.2	$11.0 \times 21.0 \times 31.5$	B32774H8225+000	3.5	33.7	18.0	1.0	7.7	2352
2.7	$12.5 \times 21.5 \times 31.5$	B32774H8275+000	4.0	26.9	18.0	1.0	7.6	2100
3.3	$13.5 \times 23.0 \times 31.5$	B32774H8335+000	5.0	22.2	19.0	1.0	7.6	1932
3.9	$14.0 \times 24.5 \times 31.5$	B32774H8395+000	5.5	18.8	21.0	1.0	7.7	1848
4.7	$15.0 \times 24.5 \times 31.5$	B32774H8475K000	6.2	15.7	23.0	1.0	7.7	1680
5.6	$18.0 \times 27.5 \times 31.5$	B32774H8565+000	7.5	13.3	22.0	1.0	7.8	1428
6.8	$19.0 \times 30.0 \times 31.5$	B32774H8685+000	8.5	11.1	25.0	1.0	7.9	896
8.2	$21.0 \times 31.0 \times 31.5$	B32774H8825+000	9.5	9.4	26.0	1.0	8.0	784

MOQ = Minimum Order Quantity, consisting of 4 packing units. Intermediate capacitance values are available on request.

#### Composition of ordering code


+ = Capacitance tolerance code:

 $J = \pm 5\%$  $K = \pm 10\%$  Packing code:

- 2) Max ripple current  $I_{RMS}$  at 70 °C, 10 kHz for  $\Delta T$  ≤20 °C
- 3) Typical ESL value measured at resonance frequency (see specific graphs of Z versus frequency)

<sup>1)</sup> Capacitance value measured at 1 kHz







### Ordering codes and packing units (lead spacing 27.5 mm)

$C_R^{1)}$	Max. dimensions	Ordering code	I <sub>RMS,max</sub> <sup>2)</sup>	ESR <sub>typ</sub>	ESL <sub>typ</sub> <sup>3)</sup>	tan δ	tan δ	Un-
	$w \times h \times l$	(composition see	70 °C	70 °C	70 °C	max.	max.	taped
		below)	10 kHz	10 kHz	10 kHz	1 kHz	10 kHz	pcs./
$\muF$	mm		Α	mΩ	nH	10 <sup>-3</sup>	10 <sup>-3</sup>	MOQ
V <sub>R,85</sub>	°C = 800 V DC, V <sub>op,70</sub>	°C = 900 V DC						
1.8	$11.0 \times 21.0 \times 31.5$	B32774H9185+000	3.5	36.0	18.0	0.8	6.8	2352
2.2	$12.5 \times 21.5 \times 31.5$	B32774H9225+000	4.0	29.4	19.0	0.8	6.8	2100
2.7	$13.5 \times 23.0 \times 31.5$	B32774H9275+000	4.5	24.1	20.0	0.9	6.8	1932
3.3	$14.0 \times 24.5 \times 31.5$	B32774H9335K000	5.5	19.9	22.0	0.9	6.8	1848
3.9	$18.0 \times 27.5 \times 31.5$	B32774H9395+000	6.5	16.9	22.0	0.9	6.9	1428
4.7	$18.0 \times 27.5 \times 31.5$	B32774H9475+000	7.3	14.1	23.0	0.9	6.9	1428
5.6	$19.0 \times 30.0 \times 31.5$	B32774H9565+000	8.2	12.0	25.0	0.9	7.0	896
6.8	$21.0 \times 31.0 \times 31.5$	B32774H9685+000	9.3	10.0	27.0	0.9	7.1	784
V <sub>R,85</sub>	$_{\rm C} = 920 \text{ V DC}, V_{\rm op,70}$	<sub>°C</sub> = 1100 V DC						
1.8	$12.5 \times 21.5 \times 31.5$	B32774H0185+000	4.0	32.4	19.0	0.8	6.1	2100
2.2	$13.5 \times 23.0 \times 31.5$	B32774H0225+000	4.5	26.6	20.2	0.8	6.1	1932
2.7	$15.0 \times 24.5 \times 31.5$	B32774H0275K000	5.5	21.8	21.0	0.8	6.2	1680
3.3	$18.0 \times 27.5 \times 31.5$	B32774H0335+000	7.0	18.0	22.0	0.8	6.2	1428
3.9	$18.0 \times 27.5 \times 31.5$	B32774H0395+000	7.5	15.4	24.0	8.0	6.2	1428
4.7	$19.0 \times 30.0 \times 31.5$	B32774H0475+000	8.0	12.9	26.0	8.0	6.3	896
5.6	$21.0 \times 31.0 \times 31.5$	B32774H0565+000	9.0	10.9	27.0	8.0	6.4	784
V <sub>R,85</sub>	$_{\rm C}$ = 1100 V DC, $V_{\rm op,70}$	<sub>°C</sub> = 1300 V DC						
1.5	$13.5 \times 23.0 \times 31.5$	B32774H1155+000	4.4	30.6	21.0	0.7	4.8	1932
1.8	$14.0 \times 24.5 \times 31.5$	B32774H1185K000	5.0	25.6	21.0	0.7	4.8	1848
2.2	$18.0 \times 27.5 \times 31.5$	B32774H1225+000	6.0	21.1	22.0	0.7	4.9	1428
2.7	$18.0 \times 27.5 \times 31.5$	B32774H1275+000	6.5	17.3	25.0	0.7	4.9	1428
3.3	$19.0 \times 30.0 \times 31.5$	B32774H1335+000	7.5	14.3	27.0	0.7	4.9	896
3.9	$21.0 \times 31.0 \times 31.5$	B32774H1395K000	8.0	12.3	29.0	0.7	5.0	784

MOQ = Minimum Order Quantity, consisting of 4 packing units. Intermediate capacitance values are available on request.

#### Composition of ordering code

+ = Capacitance tolerance code:

 $J = \pm 5\%$ 

 $K = \pm 10\%$ 

Packing code:

000 = untaped (lead length 6 - 1 mm)

Other lead lengths available upon request

- 2) Max ripple current  $I_{RMS}$  at 70 °C, 10 kHz for  $\Delta T$  ≤20 °C
- 3) Typical ESL value measured at resonance frequency (see specific graphs of Z versus frequency)

<sup>1)</sup> Capacitance value measured at 1 kHz





### MKP DC link - high density THB series

### Ordering codes and packing units (lead spacing 37.5 mm)

$C_R^{1)}$	Max. dimensions	P <sub>1</sub>	Ordering code	I <sub>RMS,max</sub> <sup>2)</sup>	ESR <sub>typ</sub>	ESL <sub>typ</sub> <sup>3)</sup>	tan δ	tan $\delta$	Un-
	$w \times h \times I$		(composition see	70 °C	70 °C	70 °C	max.	max.	taped
			below)	10 kHz	10 kHz	10 kHz	1 kHz	10 kHz	pcs./
$\mu F$	mm	mm		Α	mΩ	nH	10 <sup>-3</sup>	10 <sup>-3</sup>	MOQ
V <sub>R,85</sub> °	$v_{\rm C} = 450 \text{ V DC}, V_{\rm op,7}$	o °C = ′	450 V DC						
15.0	$16.0 \times 28.5 \times 42.0$	_	B32776H4156+000	8.0	13.7	20.0	2.3	21.5	800
18.0	$18.0 \times 32.5 \times 42.0$	_	B32776H4186+000	9.0	11.5	20.0	2.3	21.7	720
22.0	$18.0 \times 32.5 \times 42.0$	_	B32776H4226K000	10.0	9.7	23.0	2.4	21.9	720
27.0	$20.0 \times 39.5 \times 42.0$	10.2*)	B32776H4276+000	13.0	7.6	11.0	2.3	21.5	640
30.0	$20.0 \times 39.5 \times 42.0$	10.2*)	B32776H4306+000	14.0	7.0	11.0	2.3	21.3	640
33.0	$28.0 \times 37.0 \times 42.0$	10.2*)	B32776H4336+000	15.5	6.3	10.0	2.3	21.6	440
35.0	$28.0 \times 37.0 \times 42.0$	10.2*)	B32776H4356+000	16.5	6.0	10.0	2.3	21.4	440
39.0	$28.0 \times 42.5 \times 42.0$	10.2*)	B32776H4396+000	17.5	5.4	11.0	2.4	21.8	440
47.0	$28.0 \times 42.5 \times 42.0$	10.2*)	B32776H4476+000	19.5	4.5	13.0	2.4	22.0	440
V <sub>R,85</sub> °	$_{\rm C} = 500 \text{ V DC}, V_{\rm op,7}$	o °C = ∶	575 V DC						
10.0	$16.0 \times 28.5 \times 42.0$	_	B32776H5106+000	7.0	16.9	19.0	1.9	17.3	800
12.0	$16.0 \times 28.5 \times 42.0$	_	B32776H5126K000	8.0	14.1	21.0	1.9	17.7	800
15.0	$18.0 \times 32.5 \times 42.0$	_	B32776H5156+000	9.0	11.4	22.0	1.9	17.9	720
18.0	$20.0 \times 39.5 \times 42.0$	10.2*)	B32776H5186+000	11.5	9.3	10.0	1.9	17.2	640
22.0	$20.0 \times 39.5 \times 42.0$	10.2*)	B32776H5226+000	12.5	7.7	12.0	1.9	17.6	640
27.0	$28.0 \times 37.0 \times 42.0$	10.2*)	B32776H5276+000	15.0	6.3	11.0	1.9	17.7	440
30.0	$28.0 \times 42.5 \times 42.0$	10.2*)	B32776H5306+000	16.5	5.7	12.0	1.9	17.8	440
33.0	$28.0 \times 42.5 \times 42.0$	10.2*)	B32776H5336+000	18.0	5.2	13.0	1.9	17.9	440

MOQ = Minimum Order Quantity, consisting of 4 packing units.

Intermediate capacitance values are available on request.

#### Composition of ordering code

+ = Capacitance tolerance code: Packing code:

 $J = \pm 5\%$  $K = \pm 10\%$ 


<sup>\*) 2-</sup>pin version available on request

<sup>1)</sup> Capacitance value measured at 1 kHz

<sup>2)</sup> Max ripple current  $I_{RMS}$  at 70 °C, 10 kHz for  $\Delta T$  ≤20 °C

<sup>3)</sup> Typical ESL value measured at resonance frequency (see specific graphs of Z versus frequency)







#### Ordering codes and packing units (lead spacing 37.5 mm)

$C_R^{4)}$	Max. dimensions	P <sub>1</sub>	Ordering code	I <sub>RMS,max</sub> <sup>5)</sup>	ESR <sub>typ</sub>	ESL <sub>typ</sub> <sup>6)</sup>	$tan  \delta$	tan $\delta$	Un-
	$w \times h \times I$		(composition see	70 °C	70 °C	70 °C	max.	max.	taped
			below)	10 kHz	10 kHz	10 kHz	1 kHz	10 kHz	pcs./
μF	mm	mm		Α	mΩ	nΗ	10 <sup>-3</sup>	10-3	MOQ
V <sub>R,85</sub> °	$_{\rm C} = 700 \text{ V DC}, V_{\rm op,7}$	0 °C = 3	800 V DC						
5.6	$14.0 \times 25.0 \times 42.0$	_	B32776H8565K000	5.5	26.1	17.0	1.7	15.2	1380
6.8	$16.0 \times 28.5 \times 42.0$	_	B32776H8685+000	6.0	21.5	18.0	1.7	15.3	800
8.2	$16.0 \times 28.5 \times 42.0$	_	B32776H8825+000	7.0	18.2	20.0	1.7	15.4	800
10.0	$18.0 \times 32.5 \times 42.0$	_	B32776H8106+000	8.0	14.6	20.0	1.7	15.5	720
12.0	$18.0 \times 32.5 \times 42.0$	_	B32776H8126K000	9.5	12.5	21.0	1.7	15.6	720
15.0	$20.0 \times 39.5 \times 42.0$	10.2*)	B32776H8156+000	12.0	9.9	11.0	1.7	15.4	640
18.0	$28.0 \times 37.0 \times 42.0$	10.2*)	B32776H8186+000	13.0	8.2	10.0	1.7	15.4	440
22.0	$28.0 \times 37.0 \times 42.0$	10.2*)	B32776H8226K000	15.5	6.9	11.0	1.7	15.5	440
27.0	$28.0 \times 42.5 \times 42.0$	10.2*)	B32776H8276K000	17.5	5.8	13.0	1.8	16.2	440
V <sub>R,85</sub> °	$_{C} = 800 \text{ V DC}, V_{op,7}$	o °c =	900 V DC						
3.3	$12.0 \times 22.0 \times 42.0$	_	B32776H9335K000	4.2	39.0	16.0	1.5	13.4	1620
3.9	$14.0 \times 25.0 \times 42.0$	_	B32776H9395+000	4.7	33.2	15.0	1.5	13.5	1380
4.7	$14.0 \times 25.0 \times 42.0$	_	B32776H9475+000	5.5	27.6	18.0	1.5	13.5	1380
5.6	$16.0 \times 28.5 \times 42.0$	_	B32776H9565+000	6.0	23.3	18.0	1.5	13.6	800
6.8	$16.0 \times 28.5 \times 42.0$	_	B32776H9685K000	6.5	19.3	20.0	1.5	13.7	800
8.2	$18.0 \times 32.5 \times 42.0$	_	B32776H9825+000	8.0	16.1	21.0	1.5	13.8	720
10.0	$18.0 \times 32.5 \times 42.0$	_	B32776H9106K000	9.0	13.3	24.0	1.5	13.9	720
12.0	$20.0 \times 39.5 \times 42.0$	10.2*)	B32776H9126+000	10.5	10.9	11.0	1.5	13.6	640
15.0	$28.0 \times 37.0 \times 42.0$	10.2*)	B32776H9156+000	12.5	8.7	10.0	1.5	13.7	440
18.0	$28.0\times42.5\times42.0$	10.2*)	B32776H9186+000	14.5	8.1	12.0	1.5	13.8	440

MOQ = Minimum Order Quantity, consisting of 4 packing units. Intermediate capacitance values are available on request.

#### Composition of ordering code

+ = Capacitance tolerance code:

 $J = \pm 5\%$ 

 $K = \pm 10\%$ 

Packing code:

<sup>\*) 2-</sup>pin version available on request

<sup>4)</sup> Capacitance value measured at 1 kHz

<sup>5)</sup> Max ripple current  $I_{RMS}$  at 70 °C, 10 kHz for  $\Delta T$  ≤20 °C

<sup>6)</sup> Typical ESL value measured at resonance frequency (see specific graphs of Z versus frequency)





### MKP DC link - high density THB series

### Ordering codes and packing units (lead spacing 37.5 mm)

$C_R^{7)}$	Max. dimensions	P <sub>1</sub>	Ordering code	I <sub>RMS,max</sub> 8)	ESR <sub>typ</sub>	ESL <sub>typ</sub> 9)	tan δ	tan $\delta$	Un-
	$w \times h \times I$		(composition see	70 °C	70 °C	70 °C	max.	max.	taped
			below)	10 kHz	10 kHz	10 kHz	1 kHz	10 kHz	pcs./
μF	mm	mm		Α	mΩ	nΗ	10 <sup>-3</sup>	10 <sup>-3</sup>	MOQ
V <sub>R,85</sub> °	$_{\rm C} = 920 \text{ V DC}, V_{\rm op,7}$	<sub>0</sub> ° <sub>C</sub> = 1	100 V DC						
2.7	$12.0 \times 22.0 \times 42.0$	_	B32776H0275K000	4.0	43.0	15.0	1.3	12.1	1620
3.3	$14.0 \times 25.0 \times 42.0$	_	B32776H0335+000	4.5	34.9	16.0	1.4	12.0	1380
3.9	$14.0 \times 25.0 \times 42.0$	_	B32776H0395K000	5.0	29.5	18.0	1.4	12.0	1380
4.7	$16.0 \times 28.5 \times 42.0$	_	B32776H0475+000	6.0	24.6	18.0	1.4	12.1	800
5.6	$16.0 \times 28.5 \times 42.0$	_	B32776H0565K000	6.5	20.8	20.0	1.4	12.1	800
6.8	$18.0 \times 32.5 \times 42.0$	_	B32776H0685+000	7.5	17.2	21.0	1.4	12.1	720
8.2	$18.0 \times 32.5 \times 42.0$	_	B32776H0825K000	8.5	14.4	24.0	1.4	12.7	720
10.0	$20.0 \times 39.5 \times 42.0$	10.2*)	B32776H0106+000	10.0	11.8	11.0	1.4	12.3	640
12.0	$28.0 \times 37.0 \times 42.0$	10.2*)	B32776H0126+000	12.0	10.0	10.0	1.4	12.3	440
15.0	$28.0 \times 42.5 \times 42.0$	10.2*)	B32776H0156+000	14.5	7.8	12.0	1.4	12.2	440
V <sub>R,85</sub> °	$_{\rm C}$ = 1100 V DC, $V_{\rm op,7}$	o °c = 13	300 V DC						
2.2	$14.0 \times 25.0 \times 42.0$	_	B32776H1225+000	4.0	42.2	16.0	1.1	9.7	1380
2.7	$16.0 \times 28.5 \times 42.0$	_	B32776H1275+000	5.0	34.5	17.0	1.1	9.7	800
3.3	$16.0 \times 28.5 \times 42.0$	_	B32776H1335+000	5.5	28.4	19.0	1.1	9.8	800
3.9	$16.0 \times 28.5 \times 42.0$	_	B32776H1395K000	6.0	24.0	21.0	1.1	9.8	800
4.7	$18.0 \times 32.5 \times 42.0$	_	B32776H1475+000	7.0	20.0	22.0	1.1	9.8	720
5.6	$20.0 \times 39.5 \times 42.0$	10.2*)	B32776H1565+000	8.5	16.7	10.0	1.1	9.8	640
6.8	$20.0 \times 39.5 \times 42.0$	10.2*)	B32776H1685+000	9.0	13.7	11.0	1.1	9.8	640
8.2	$28.0 \times 37.0 \times 42.0$	10.2*)	B32776H1825+000	11.0	11.5	10.0	1.1	9.8	440
10.0	$28.0\times42.5\times42.0$	10.2*)	B32776H1106+000	13.0	9.9	29.0	1.2	10.2	440

MOQ = Minimum Order Quantity, consisting of 4 packing units. Intermediate capacitance values are available on request.

\*) 2-pin version available on request

#### Composition of ordering code

+ = Capacitance tolerance code:


 $J = \pm 5\%$  $K = \pm 10\%$  Packing code:

<sup>7)</sup> Capacitance value measured at 1 kHz

<sup>8)</sup> Max ripple current  $I_{RMS}$  at 70 °C, 10 kHz for  $\Delta T$  ≤20 °C

<sup>9)</sup> Typical ESL value measured at resonance frequency (see specific graphs of Z versus frequency)







### Ordering codes and packing units (lead spacing 52.5 mm, $P_1$ = 20.3 mm)

$C_R^{1)}$	Max. dimensions	Ordering code	I <sub>RMS,max</sub> <sup>2)</sup>	$ESR_{typ}$	ESL <sub>typ</sub> <sup>3)</sup>	tan δ	tan $\delta$	Un-
	$w \times h \times I$	(composition see	70 °C	70 °C	70 °C	max.	max.	taped
		below)	10 kHz	10 kHz	10 kHz	1 kHz	10 kHz	pcs./
μF	mm		Α	mΩ	nH	10 <sup>-3</sup>	10 <sup>-3</sup>	MOQ
V <sub>R,85</sub> ° <sub>C</sub> :	= 450 V DC, V <sub>op,70</sub> ° <sub>C</sub>	= 450 V DC						
75.0	$30.0\times45.0\times57.5$	B32778H4756+000	21.0	5.6	12.0	4.4	42.6	280
82.0	$30.0 \times 45.0 \times 57.5$	B32778H4826K000	22.0	5.2	13.0	4.4	42.7	280
90.0	$35.0 \times 50.0 \times 57.5$	B32778H4906+000	23.5	4.7	14.0	4.5	43.2	108
100.0	$35.0 \times 50.0 \times 57.5$	B32778H4107+000	26.0	4.3	14.0	4.5	43.6	108
120.0	$38.0\times57.5\times57.5$	B32778H4127+000	27.5	3.7	16.0	4.7	45.5	96
V <sub>R,85</sub> ° <sub>C</sub> =	= 500 V DC, V <sub>op,70</sub> ° <sub>C</sub>	; = 575 V DC						
50.0	$30.0 \times 45.0 \times 57.5$	B32778H5506+000	17.5	7.0	12.0	3.8	36.3	280
56.0	$30.0 \times 45.0 \times 57.5$	B32778H5566+000	18.5	6.3	13.0	3.8	36.5	280
68.0	$35.0 \times 50.0 \times 57.5$	B32778H5686+000	22.0	5.2	14.0	3.8	36.8	108
75.0	$35.0 \times 50.0 \times 57.5$	B32778H5756+000	24.0	4.8	15.0	3.8	36.9	108
82.0	$38.0\times57.5\times57.5$	B32778H5826+000	25.0	4.4	15.0	3.9	37.0	96
90.0	$38.0\times57.5\times57.5$	B32778H5906+000	27.0	4.0	16.0	3.9	37.3	96
V <sub>R,85</sub> ° <sub>C</sub> =	$=$ 700 V DC, $V_{op,70}^{\circ}$	; = 800 V DC						
39.0	$30.0 \times 45.0 \times 57.5$	B32778H8396+000	17.5	7.8	13.0	3.3	31.2	280
47.0	$30.0 \times 45.0 \times 57.5$	B32778H8476K000	19.5	6.7	14.0	3.3	31.4	280
50.0	$35.0 \times 50.0 \times 57.5$	B32778H8506+000	20.5	6.0	14.0	3.3	31.6	108
56.0	$35.0 \times 50.0 \times 57.5$	B32778H8566+000	23.5	5.5	15.0	3.4	31.8	108
68.0	$38.0\times57.5\times57.5$	B32778H8686+000	25.0	4.6	16.0	3.4	32.2	96
75.0	$38.0\times57.5\times57.5$	B32778H8756K000	26.0	4.3	17.0	3.4	32.4	96
V <sub>R,85</sub> ° <sub>C</sub> =	= 800 V DC, V <sub>op,70</sub> ° <sub>C</sub>	e = 900 V DC						
35.0	$30.0\times45.0\times57.5$	B32778H9356+000	18.0	7.7	13.0	2.9	27.3	280
39.0	$35.0 \times 50.0 \times 57.5$	B32778H9396+000	19.0	7.0	13.0	3.0	28.0	108
47.0	$35.0 \times 50.0 \times 57.5$	B32778H9476K000	21.5	5.9	15.0	3.0	28.1	108
50.0	$38.0\times57.5\times57.5$	B32778H9506+000	23.0	5.5	16.0	3.0	28.2	96
56.0	$38.0\times57.5\times57.5$	B32778H9566+000	24.0	4.9	17.0	3.0	28.4	96

MOQ = Minimum Order Quantity, consisting of 4 packing units.

Intermediate capacitance values are available on request.

#### Composition of ordering code

+ = Capacitance tolerance code:

 $J = \pm 5\%$ 

 $K = \pm 10\%$ 

Packing code:

000 = untaped (lead length 6 - 1 mm)Other lead lengths available upon request

1) Capacitance value measured at 1 kHz

- 2) Max ripple current  $I_{RMS}$  at 70 °C, 10 kHz for  $\Delta T$  ≤20 °C
- 3) Typical ESL value measured at resonance frequency (see specific graphs of Z versus frequency)





### MKP DC link - high density THB series

### Ordering codes and packing units (lead spacing 52.5 mm, $P_1$ = 20.3 mm)

$C_R^{1)}$	Max. dimensions	Ordering code	I <sub>RMS,max</sub> <sup>2)</sup>	ESR <sub>typ</sub>	ESL <sub>typ</sub> <sup>3)</sup>	tan δ	tan δ	Un-
	$w \times h \times I$	(composition see	70 °C	70 °C	70 °C	max.	max.	taped
		below)	10 kHz	10 kHz	10 kHz	1 kHz	10 kHz	pcs./
μF	mm		Α	mΩ	nH	<b>10</b> -3	10 <sup>-3</sup>	MOQ
V <sub>R,85</sub> ° <sub>C</sub>	= 920 V DC, V <sub>op,70</sub> °c	= 1100 V DC						
27.0	$30.0\times45.0\times57.5$	B32778H0276+000	16.0	8.9	13.0	2.6	24.5	280
30.0	$30.0\times45.0\times57.5$	B32778H0306K000	17.5	8.2	13.0	2.6	24.6	280
33.0	$35.0\times50.0\times57.5$	B32778H0336+000	18.5	7.4	14.0	2.7	25.0	108
35.0	$35.0\times50.0\times57.5$	B32778H0356+000	19.5	6.9	15.0	2.7	25.1	108
39.0	$35.0\times50.0\times57.5$	B32778H0396K000	21.5	6.5	15.0	2.7	25.1	108
47.0	$38.0\times57.5\times57.5$	B32778H0476+000	23.0	5.3	17.0	2.7	25.4	96
V <sub>R,85</sub> ° <sub>C</sub>	= 1100 V DC, V <sub>op,70</sub> ° <sub>C</sub>	= 1300 V DC						
18.0	$30.0\times45.0\times57.5$	B32778H1186+000	15.0	10.6	13.0	2.1	19.9	280
22.0	$35.0\times50.0\times57.5$	B32778H1226+000	17.0	8.8	14.0	2.1	20.1	108
27.0	$35.0\times50.0\times57.5$	B32778H1276K000	19.5	7.5	15.0	2.2	20.3	108
30.0	$38.0\times57.5\times57.5$	B32778H1306+000	21.0	6.8	16.0	2.3	20.9	96
33.0	$38.0\times57.5\times57.5$	B32778H1336K000	22.0	6.0	17.0	2.3	21.0	96

MOQ = Minimum Order Quantity, consisting of 4 packing units. Intermediate capacitance values are available on request.

### Composition of ordering code

+ = Capacitance tolerance code:

 $J = \pm 5\%$  $K = \pm 10\%$  Packing code:

<sup>1)</sup> Capacitance value measured at 1 kHz

<sup>2)</sup> Max ripple current  $I_{RMS}$  at 70 °C, 10 kHz for  $\Delta T$   $\leq\!\!20$  °C

<sup>3)</sup> Typical ESL value measured at resonance frequency (see specific graphs of Z versus frequency)



B32774H ... B32778H






#### **Technical data**

Reference standard: IEC 61071:2007 and AEC-Q200D. All data given at T = 20 °C, unless otherwise specified.

wise specifica.								
Rated temperature T <sub>R</sub>		+85 °C					_	
Operating temperature range (case)		Max. operating temperature, T <sub>op,max</sub>					)5 °C	
		Upper category temperature T <sub>max</sub> +105 °C					)5 °C	
		Lower ca	ategory te	mperature	T <sub>min</sub>	_4	l0 °C	
Insulation resistance R <sub>ins</sub>		τ > 10 000 s (after 1 min.)						
given as time constant		For V <sub>R</sub> ≥ 500 V measured at 500 V						
$\tau = C_R \cdot R_{ins}$ , rel. humidity $\leq$	65%	For V <sub>R</sub> <	500 V me	easured a	t V <sub>R</sub>			
(minimum as-delivered valu	es)							
DC test voltage between ter	minals (10 s)	1.5 · V <sub>R</sub>						
Voltage test terminal to case	e (10 s)	2110 V A	AC, 50 Hz					
Pulse Handling Capability (\	I <sub>P</sub> (A) / C (μF)							
Reliability: Failure rate λ		10 fit (≤ 1 · 10 <sup>-9</sup> /h) at 0.5 · V <sub>R</sub> , 40 °C						
		For conv	ersion to	other ope	rating con	ditions an	nd	
		temperat	tures, refe	r to chapt	er "Qualit	y, 2 Relial	bility".	
Service life t <sub>SL</sub>		50 000 h at V <sub>R</sub> and 85 °C						
Advanced biased humidity <sup>1)</sup>		1000 hours / 60 °C / 95% relative humidity with V <sub>R,DC</sub>						
Limit values after test		Capacitance change $ \Delta C/C  \leq 5\%$						
		Dissipation factor change $\Delta$ tan $\delta$ $\leq$ 200% (at 10 kHz)						
		Insulatio	n resistan	ce R <sub>ins</sub>	≥	100 M $\Omega$		
V <sub>R</sub> (V DC)		450	500	700	800	920	1100	
Continuous operation voltage	je							
$V_{op}$ (V DC) at 70 $^{\circ}$ C		450	575	800	900	1100	1300	
Continuous operation voltage	je							
V <sub>op</sub> (V DC) at 85 °C		450	500	700	800	920	1100	
For temperatures between		1.33%/°C of V <sub>op</sub> derating compared to V <sub>op</sub> at 85 °C						
85 $^{\circ}$ C and 105 $^{\circ}$ C								

<sup>1) 1000</sup> hours / 85  $^{\circ}$ C / 85  $^{\circ}$ C relative humidity with  $V_R$  available on request, based on special design.

#### **Typical waveforms**



#### Restrictions:

 $V_R$ : Maximum operating peak voltage of either polarity but of a non-reversing waveform, for which the capacitor has been designed for continuous operation.

$$\hat{\textbf{v}}_{\text{AC}} {\leq} \textbf{0.2} \, \cdot \, \textbf{V}_{\text{R}}$$





#### B32774H ... B32778H

#### MKP DC link - high density THB series

Overvoltage	Maximum duration within one day	Observation		
1.1 · V <sub>R</sub>	30% of on-load duration	System regulation		
1.15 · V <sub>R</sub>	30 min.	System regulation		
$1.2 \cdot V_R$	5 min.	System regulation		
1.3 · V <sub>R</sub>	1 min.	System regulation		

NOTE 1 An overvoltage equal to  $1.5 \cdot V_R$  for 30 ms is permitted 1000 times during the life of the capacitor.

The amplitudes of the overvoltages that may be tolerated without significant reduction in the life time of the capacitor depend on their duration, the number of application and the capacitor temperature.

In addition these values assume that the overvoltages may appear when the internal temperature of the capacitor is less than 0 °C but within the temperature category.

NOTE 2 The average applied voltage must not be higher than the specified voltage.

#### Pulse handling capability

"dV/dt" represents the maximum permissible voltage change per unit of time for non-sinusoidal voltages, expressed in  $V/\mu s$ .

#### Note:

The values of dV/dt provided below must not be exceeded in order to avoid damaging the capacitor.

#### dV/dt values

Lead spacing	27.5 mm					37.5 mm						
Туре	B327	B32774				B32776						
V <sub>R</sub> (V DC)	450	500	700	800	920	1100	450	500	700	800	920	1100
dV/dt in V/μs	30	35	40	50	75	100	21	22	22	35	54	73

Lead spacing	52.5 mm					
Туре	B32778					
V <sub>R</sub> (V DC)	450	500	700	800	920	1100
dV/dt in V/μs	14	14	15	22	35	50



### MKP DC link - high density THB series



#### Characteristics curves


Additional technical information can be found under "Design support" on www.epcos.com.

## Impedance Z versus frequency f

(typical values)

#### Lead spacing 27.5 mm

450 V DC




## ESR versus frequency f

(typical values)

#### Lead spacing 27.5 mm

450 V DC




## Impedance Z versus frequency f

(typical values)

#### Lead spacing 27.5 mm


500 V DC



#### ESR versus frequency f

(typical values)

#### Lead spacing 27.5 mm







#### MKP DC link - high density THB series

#### **Characteristics curves**


Additional technical information can be found under "Design support" on www.epcos.com.

## Impedance Z versus frequency f

(typical values)

#### Lead spacing 27.5 mm

700 V DC




## ESR versus frequency f

(typical values)

#### Lead spacing 27.5 mm

700 V DC




## Impedance Z versus frequency f

(typical values)

#### Lead spacing 27.5 mm


800 V DC



#### ESR versus frequency f

(typical values)

#### Lead spacing 27.5 mm





### MKP DC link - high density THB series



#### Characteristics curves


Additional technical information can be found under "Design support" on www.epcos.com.

### Impedance Z versus frequency f

(typical values)

#### Lead spacing 27.5 mm

920 V DC




## ESR versus frequency f

(typical values)

#### Lead spacing 27.5 mm

920 V DC




## Impedance Z versus frequency f

(typical values)

#### Lead spacing 27.5 mm


1100 V DC



#### ESR versus frequency f

(typical values)

#### Lead spacing 27.5 mm







#### MKP DC link - high density THB series

#### **Characteristics curves**


Additional technical information can be found under "Design support" on www.epcos.com.

## Impedance Z versus frequency f

(typical values)

#### Lead spacing 37.5 mm

450 V DC




### **ESR** versus frequency f

(typical values)

#### Lead spacing 37.5 mm

450 V DC




## Impedance Z versus frequency f

(typical values)

#### Lead spacing 37.5 mm


500 V DC



## ESR versus frequency f

(typical values)

#### Lead spacing 37.5 mm





#### MKP DC link - high density THB series



#### **Characteristics curves**


Additional technical information can be found under "Design support" on www.epcos.com.

## Impedance Z versus frequency f

(typical values)

#### Lead spacing 37.5 mm

700 V DC




## ESR versus frequency f

(typical values)

#### Lead spacing 37.5 mm

700 V DC




#### Impedance Z versus frequency f

(typical values)

#### Lead spacing 37.5 mm


800 V DC



#### ESR versus frequency f

(typical values)

#### Lead spacing 37.5 mm







#### MKP DC link - high density THB series

#### **Characteristics curves**


Additional technical information can be found under "Design support" on www.epcos.com.

## Impedance Z versus frequency f

(typical values)

#### Lead spacing 37.5 mm

920 V DC




## **ESR** versus frequency f

(typical values)

#### Lead spacing 37.5 mm

920 V DC




### Impedance Z versus frequency f

(typical values)

#### Lead spacing 37.5 mm


1100 V DC



### ESR versus frequency f

(typical values)

#### Lead spacing 37.5 mm





### MKP DC link – high density THB series



#### **Characteristics curves**


Additional technical information can be found under "Design support" on www.epcos.com.

## Impedance Z versus frequency f

(typical values)

#### Lead spacing 52.5 mm

450 V DC




## ESR versus frequency f

(typical values)

#### Lead spacing 52.5 mm

450 V DC




## Impedance Z versus frequency f

(typical values)

#### Lead spacing 52.5 mm


500 V DC



#### ESR versus frequency f

(typical values)

#### Lead spacing 52.5 mm







#### MKP DC link - high density THB series

#### **Characteristics curves**


Additional technical information can be found under "Design support" on www.epcos.com.

## Impedance Z versus frequency f

(typical values)

#### Lead spacing 52.5 mm

700 V DC




## ESR versus frequency f

(typical values)

#### Lead spacing 52.5 mm

700 V DC




## Impedance Z versus frequency f

(typical values)

#### Lead spacing 52.5 mm


800 V DC



#### ESR versus frequency f

(typical values)

#### Lead spacing 52.5 mm





#### MKP DC link – high density THB series



#### Characteristics curves


Additional technical information can be found under "Design support" on www.epcos.com.

## Impedance Z versus frequency f

(typical values)

#### Lead spacing 52.5 mm

920 V DC




## ESR versus frequency f

(typical values)

#### Lead spacing 52.5 mm

920 V DC




## Impedance Z versus frequency f

(typical values)

#### Lead spacing 27.5 mm


1100 V DC



#### ESR versus frequency f

(typical values)

#### Lead spacing 27.5 mm








### MKP DC link - high density THB series


#### **Characteristics curves**

## Permissible current $I_{\text{RMS}}$ versus frequency f at 70 $^{\circ}\text{C}$


### Lead spacing 27.5 mm

450 V DC













#### **Characteristics curves**

#### Permissible current I<sub>RMS</sub> versus frequency f at 70 °C

### Lead spacing 27.5 mm

700 V DC










### MKP DC link - high density THB series


#### **Characteristics curves**

## Permissible current $I_{\text{RMS}}$ versus frequency f at 70 $^{\circ}\text{C}$


## Lead spacing 27.5 mm

920 V DC













#### **Characteristics curves**

#### Permissible current I<sub>RMS</sub> versus frequency f at 70 °C

### Lead spacing 37.5 mm

450 V DC










### MKP DC link - high density THB series


#### **Characteristics curves**

## Permissible current $I_{\text{RMS}}$ versus frequency f at 70 $^{\circ}\text{C}$


### Lead spacing 37.5 mm

700 V DC













#### **Characteristics curves**

#### Permissible current I<sub>RMS</sub> versus frequency f at 70 °C

### Lead spacing 37.5 mm

920 V DC










### MKP DC link - high density THB series


#### **Characteristics curves**

## Permissible current $I_{RMS}$ versus frequency f at 70 $^{\circ}$ C

## Lead spacing 52.5 mm

450 V DC







### MKP DC link – high density THB series





#### **Characteristics curves**

## Permissible current $I_{\text{RMS}}$ versus frequency f at 70 $^{\circ}\text{C}$

### Lead spacing 52.5 mm

700 V DC










### MKP DC link - high density THB series


#### **Characteristics curves**

## Permissible current $I_{RMS}$ versus frequency f at 70 $^{\circ}$ C

### Lead spacing 52.5 mm


920 V DC








B32774H ... B32778H





## **Curves characteristics (I<sub>RMS</sub> derating versus temperature)**



Maximum  $I_{RMS}$  current as function of the ambient temperature:  $I_{RMS}$  ( $T_A$ ) = Factor  $\times$   $I_{RMS}$  (70 °C)





### B32774H ... B32778H

### MKP DC link - high density THB series

#### Heat transference for self heating calculation




Figure 1

Box dime	nsions	Equivalent heat coefficient			
w (mm)	h (mm)	I (mm)	G (mW/°C)		
11.0	19.0	31.5	25		
11.0	21.0	31.5	28		
12.5	21.5	31.5	30		
13.5	23.0	31.5	32		
14.0	24.5	31.5	35		
15.0	24.5	31.5	36		
16.0	32.0	31.5	45		
18.0	27.5	31.5	44		
18.0	33.0	31.5	48		
19.0	30.0	31.5	48		
21.0	31.0	31.5	51		
22.0	36.5	31.5	58		
12.0	22.0	42.0	40		
14.0	25.0	42.0	43		
16.0	28.5	42.0	50		
18.0	32.5	42.0	59		
20.0	39.5	42.0	72		
24.0	19.0	42.0	50		
24.0	15.0	42.0	44		
28.0	37.0	42.0	83		
28.0	42.5	42.0	90		
30.0	45.0	42.0	100		
33.0	48.0	42.0	110		
30.0	45.0	57.5	125		
35.0	50.0	57.5	145		
38.0	57.5	57.5	165		

The equivalent heat coefficient "**G** (**mW**/°**C**)" is given for measuring the temperature on the lateral surface of the plastic box as figure 1 shows. By using a thermocouple and avoiding effect of radiation and convection the temperature measured during operation conditions should be a result of the dissipated power divided by the equivalent heat coefficient.



#### MKP DC link - high density THB series



#### Self Heating by power dissipation & equivalent heat coefficient

The  $I_{RMS}$  and consequently the power dissipation must be limited during operation in order to not exceed the maximum limit of  $\Delta T$  allowed for this series.  $\Delta T_{max}$  given for this series is equal or lower than 20 °C at rated temperature (70 °C), for higher ambient temperatures  $\Delta T_{max}$  (T) will have the same derating factor than  $I_{RMS}$  versus temperature and then an equivalent derating as per:

$$\Delta T_{\text{max}}$$
 (T) = (Factor)<sup>2</sup> ×  $\Delta T$  (70 °C).

For any particular  $I_{RMS}$  the  $\Delta T$  may be calculated by:

$$\Delta T$$
 (°C) = P<sub>dis</sub> (mW) / G(mW/°C).

Where  $\Delta T$  (°C) is the difference between the temperature measured on the box (see figure 1) and the ambient temperature when capacitor is working during normal operation;

$$\Delta T$$
 (°C) =  $T_{op}$  (°C)  $- T_A$  (°C).

It represents the increasing of temperature provoked by the  $I_{RMS}$  during operation. G (mW/°C) is the equivalent heat coefficient described above and  $P_{dis}$  (mW) is the dissipated power defined by:

$$P_{\text{dis}}$$
 (mW) = ESR<sub>typ</sub> (m $\Omega$ ) ×  $I_{\text{rms}}^2$  (A<sub>RMS</sub>).

## **Example for thermal calculation:**

We will take as reference B32778H0306K (30  $\mu$ F/920 V DC) type for thermal calculation. Considering the following load and capacitor characteristics:

 $I_{RMS}$ : 12  $A_{RMS}$  at 20 kHz

T<sub>A</sub>: 85 °C

 $30 \times 45 \times 57.5$  box

G (mW/°C): 125

Then we have to find the ESR<sub>tvo</sub> at 20 kHz what is approx . 8.2 m $\Omega$ .

So according to:

$$P_{dis}$$
 (mW) = ESR<sub>typ</sub> (m $\Omega$ ) ×  $I_{rms}^2$  (A<sub>RMS</sub>)

we have the following:

$$P_{dis}$$
 (mW) = 8.2 m $\Omega \times 12 A_{RMS}^2 = 1181 \text{ mW}$ 

and as per:

$$\Delta T$$
 (°C) =  $P_{dis}$  (mW) / G (mW/°C)

we have the following:

$$\Delta T$$
 (°C) = 1181 (mW) / 125 (mW/°C) = 9.5 °C.

What is below of the

$$\Delta T_{\text{max}}$$
 (85 °C) = (Factor)<sup>2</sup> ×  $\Delta T$  (70 °C) = (0.7)<sup>2</sup> × 20 °C = 9.8 °C.

On the other hand we may confirm as page 32 that max  $I_{RMS}$  at 20 kHz at 70 °C = 17.5  $A_{RMS}$ .

And then max I<sub>RMS</sub> for 85 °C of ambient temperature is defined as follows:

$$I_{RMS}$$
 (85 °C) = Factor ×  $I_{RMS}$  (70 °C) = 0.7 × 17.5  $A_{RMS}$  = 12.3  $A_{RMS}$ .

What confirms once again that  $I_{RMS}$  (12  $A_{RMS}$  at 20 kHz) is below the max specified for such frequency and ambient temperature.






## B32774H ... B32778H


### MKP DC link - high density THB series

### Life time expectancy - typical curves

B3277\*H4 (450 V DC)



B3277\*H5/8/9/0/1 (500 V DC / 700 V DC / 800 V DC / 920 V DC / 1100 V DC)



Note: Confidence level of 95%





# **Testing and Standards**

Test	Reference	Conditions of test		Performance requirements
Electrical parameters (Routine test)	IEC61071:2007	Voltage between terminals, 1.5 $V_R$ , during 10 s Insulation resistance, $R_{ins}$ at $V_R$ if $V_R < 500  V$ or $500  V$ if $V_R \ge 500  V$ Capacitance, C at 1 kHz (room temperature) Dissipation factor, tan $\delta$ at 1/10 kHz (room temperature)		Within specified limits
Robustness	IEC	Tensile strength (tes	1	Capacitance and tan
of termina-	60068-2-21:2006	Wire diameter	Tensile force	δ
tions (Type test)		$0.5 < d_1 \le 0.8 \text{ mm}$ $0.8 < d_1 \le 1.25 \text{ mm}$	10 N 20 N	within specified limits
Change of temperature (Type test)	IEC 61071:2007	T <sub>A</sub> = lower category temperature; T <sub>B</sub> = upper category temperature; 5 cycles, duration t = 30 min.		Electrical: $\begin{split}  \Delta C/C_0  &\leq 2\% \text{ at 1} \\ kHz \\  \Delta \tan \delta  &\leq 0.002 \\ R_{\text{ins}} &\geq 50\% \text{ of initial} \\ limit \end{split}$
				Mechanical: No visible damage
Resistance to soldering heat (Type test)	IEC 60068-2-20:2008, test Tb, method 1A	Solder bath temperature at 260 ±5 °C, immersion for 10 seconds		$\Delta$ C/C <sub>0</sub> $\leq$ 2% at 1 kHz $ \Delta$ tan $\delta$   $\leq$ 0.002 $R_{ins} \geq$ 50% of initial limit
				Mechanical: No visible damage
Vibration and shocks (Type test)	IEC 61071:2007	In accordance with IEC 60068-2-6  f = 10 Hz to 55 Hz  a = ±0.35 mm  Test duration per axis = 10 frequency cycles (3 axes offset from each other by 90°), 1 octave/min.  Mounting conditions: The capacitor shall be fixed by the leads and the body must be properly clamped.		Electrical: $ \Delta C/C_0  \le 0.5\%$ at 1 kHz
				Mechanical: No visible damage






# $\label{eq:mkp} \textbf{MKP DC link} - \textbf{high density THB series}$

Test	Reference	Conditions of test	Performance requirements
Climatic sequence (Type test)	IEC 60384-16:2005	Dry heat Tb / 16 h Damp heat cyclic, 1st cycle +55 °C / 24 h / 95% 100% RH Cold Ta / 2 h Damp heat cyclic, 5 cycles +55 °C / 24 h / 95% 100% RH	No visible damage $ \Delta C/C_0  \leq 3\%$ $ \Delta \tan \delta  \leq 0.001$ $R_{\text{ins}} \geq 50\% \text{ of initial limit}$
Endurance (Type test)	IEC 61071:2007	+85 °C / 1.4 $V_{\rm R}$ / 250 hours and 1000 discharges at 1.4 $I_{\rm R}$ and +85 °C / 1.4 $V_{\rm R}$ / 250 hours or +85 °C / 1.3 $V_{\rm R}$ / 500 hours	Electrical: $\begin{split}  \Delta C/C_0  &\pm 3\% \\  \Delta &\tan \delta  \leq 0.015 \\ R_{\text{ins}} &\geq 50\% \text{ of initial limit} \end{split}$
		and 1000 discharges at 1.4 I <sub>R</sub> and +85 °C / 1.3 V <sub>R</sub> / 500 hours	Mechanical: No visible damage
Biased humidity test (Type test)	AEC-Q200D	V <sub>R</sub> / 40 °C / 93% RH / 1000 hours	Electrical: $ \Delta C/C_0  \le 5\%$ $ \Delta \tan \delta/\Delta \tan \delta  \le 200\%$ (10 kHz)
			$R_{ins} \ge 50\%$ of initial limit
			Mechanical: No visible damage
		V <sub>R</sub> / 60 °C / 95% RH / 1000 hours <sup>1)</sup>	Electrical: $ \Delta C/C_0  \le 5\%$ $ \Delta \tan \delta/\Delta \tan \delta  \le 200\%$ (10 kHz)
			$R_{ins} \ge 100 \ M\Omega$ Mechanical: No visible damage

<sup>1) 1000</sup> hours / 85  $^{\circ}$ C / 85  $^{\circ}$ C relative humidity with  $V_R$  available on request, based on special design.







### **Mounting guidelines**

## 1 Soldering

## 1.1 Solderability of leads

The solderability of terminal leads is tested to IEC 60068-2-20:2008, test Ta, method 1.

Before a solderability test is carried out, terminals are subjected to accelerated ageing (to IEC 60068-2-2:2007, test Ba: 4 h exposure to dry heat at 155 °C). Since the ageing temperature is far higher than the upper category temperature of the capacitors, the terminal wires should be cut off from the capacitor before the ageing procedure to prevent the solderability being impaired by the products of any capacitor decomposition that might occur.

Solder bath temperature	235 ±5 °C
Soldering time	2.0 ±0.5 s
Immersion depth	2.0 + 0/-0.5 mm from capacitor body or seating plane
Evaluation criteria:	
Visual inspection	Wetting of wire surface by new solder ≥90%, free-flowing solder

## 1.2 Resistance to soldering heat


Resistance to soldering heat is tested to IEC 60068-2-20:2008, test Tb, method 1. Conditions:

Series		Solder bath temperature	Soldering time
MKT boxed (except 2.5 × 6.5 × 7.2 mm) coated uncoated (lead spacing >10 mm)		260 ±5 °C	10 ±1 s
MFP	uncoated (lead spacing >10 mm)		
MKP	(lead spacing >7.5 mm)		
MKT	boxed (case $2.5 \times 6.5 \times 7.2$ mm)		5 ±1 s
MKP	(lead spacing ≤7.5 mm)		<4 s
MKT	uncoated (lead spacing ≤10 mm) insulated (B32559)		recommended soldering profile for MKT uncoated (lead spacing ≤ 10 mm) and insulated (B32559)





### MKP DC link – high density THB series




Immersion depth	2.0 + 0/-0.5 mm from capacitor body or seating plane	
Shield	Heat-absorbing board, (1.5 $\pm$ 0.5) mm thick, between capacitor body and liquid solder	
Evaluation criteria:		
Visual inspection	No visible damage	
$\Delta C/C_0$	2% for MKT/MKP/MFP 5% for EMI suppression capacitors	
tan δ	As specified in sectional specification	

## 1.3 General notes on soldering

Permissible heat exposure loads on film capacitors are primarily characterized by the upper category temperature  $T_{\text{max}}$ . Long exposure to temperatures above this type-related temperature limit can lead to changes in the plastic dielectric and thus change irreversibly a capacitor's electrical characteristics. For short exposures (as in practical soldering processes) the heat load (and thus the possible effects on a capacitor) will also depend on other factors like:

- Pre-heating temperature and time
- Forced cooling immediately after soldering
- Terminal characteristics:
   diameter, length, thermal resistance, special configurations (e.g. crimping)
- Height of capacitor above solder bath
- Shadowing by neighboring components
- Additional heating due to heat dissipation by neighboring components
- Use of solder-resist coatings








The overheating associated with some of these factors can usually be reduced by suitable countermeasures. For example, if a pre-heating step cannot be avoided, an additional or reinforced cooling process may possibly have to be included.


#### **EPCOS** recommendations

As a reference, the recommended wave soldering profile for our film capacitors is as follows:



T<sub>s</sub>: Capacitor body maximum temperature at wave soldering

T<sub>p</sub>: Capacitor body maximum temperature at pre-heating кмк1745-A-E







#### MKP DC link - high density THB series

Body temperature should follow the description below:

MKP capacitor

During pre-heating:  $T_p \le 110 \, ^{\circ}\text{C}$ During soldering:  $T_s \le 120 \, ^{\circ}\text{C}$ ,  $t_s \le 45 \, \text{s}$ 

MKT capacitor

During pre-heating: T<sub>p</sub> ≤125 °C

During soldering: T<sub>s</sub> ≤160 °C, t<sub>s</sub> ≤45 s

When SMD components are used together with leaded ones, the film capacitors should not pass into the SMD adhesive curing oven. The leaded components should be assembled after the SMD curing step.

Leaded film capacitors are not suitable for reflow soldering.

In order to ensure proper conditions for manual or selective soldering, the body temperature of the capacitor ( $T_s$ ) must be  $\leq 120$  °C.


One recommended condition for manual soldering is that the tip of the soldering iron should be <360 °C and the soldering contact time should be no longer than 3 seconds.

For uncoated MKT capacitors with lead spacings ≤10 mm (B32560/B32561) the following measures are recommended:

- pre-heating to not more than 110 °C in the preheater phase
- rapid cooling after soldering

Please refer to EPCOS Film Capacitor Data Book in case more details are needed.







#### **Cautions and warnings**

- Do not exceed the upper category temperature (UCT).
- Do not apply any mechanical stress to the capacitor terminals.
- Avoid any compressive, tensile or flexural stress.
- Do not move the capacitor after it has been soldered to the PC board.
- Do not pick up the PC board by the soldered capacitor.
- Do not place the capacitor on a PC board whose PTH hole spacing differs from the specified lead spacing.
- Do not exceed the specified time or temperature limits during soldering.
- Avoid external energy inputs, such as fire or electricity.
- Avoid overload of the capacitors.
- Consult us if application is with severe temperature and humidity condition.
- There are no serviceable or repairable parts inside the capacitor. Opening the capacitor or any attempts to open or repair the capacitor will void the warranty and liability of EPCOS.
- Please note that the standards referred to in this publication may have been revised in the meantime.

The table below summarizes the safety instructions that must always be observed. A detailed description can be found in the relevant sections of the chapters "General technical information" and "Mounting guidelines".

Topic	Safety information	Reference chapter
		"General technical
		information"
Storage	Make sure that capacitors are stored within the specified	4.5
conditions	range of time, temperature and humidity conditions.	"Storage conditions"
Flammability	Avoid external energy, such as fire or electricity (passive	5.3
	flammability), avoid overload of the capacitors (active	"Flammability"
	flammability) and consider the flammability of materials.	
Resistance to	Do not exceed the tested ability to withstand vibration.	5.2
vibration	The capacitors are tested to IEC 60068-2-6:2007.	"Resistance to
	EPCOS offers film capacitors specially designed for	vibration"
	operation under more severe vibration regimes such as	
	those found in automotive applications. Consult our	
	catalog "Film Capacitors for Automotive Electronics".	

Topic	Safety information	Reference chapter "Mounting guidelines"
Soldering	Do not exceed the specified time or temperature limits	1 "Soldering"
	during soldering.	
Cleaning	Use only suitable solvents for cleaning capacitors.	2 "Cleaning"






# MKP DC link - high density THB series

Topic	Safety information	Reference chapter
		"Mounting guidelines"
Embedding of	When embedding finished circuit assemblies in plastic	3 "Embedding of
capacitors in	resins, chemical and thermal influences must be taken	capacitors in finished
finished	into account.	assemblies"
assemblies	Caution: Consult us first, if you also wish to embed other	
	uncoated component types!	

### Display of ordering codes for EPCOS products

The ordering code for one and the same product can be represented differently in data sheets, data books, other publications and the website of EPCOS, or in order-related documents such as shipping notes, order confirmations and product labels. The varying representations of the ordering codes are due to different processes employed and do not affect the specifications of the respective products. Detailed information can be found on the Internet under <a href="https://www.epcos.com/orderingcodes">www.epcos.com/orderingcodes</a>.







# Symbols and terms

Symbol	English	German
α	Heat transfer coefficient	Wärmeübergangszahl
$\alpha_{C}$	Temperature coefficient of capacitance	Temperaturkoeffizient der Kapazität
Α	Capacitor surface area	Kondensatoroberfläche
$\beta_{C}$	Humidity coefficient of capacitance	Feuchtekoeffizient der Kapazität
С	Capacitance	Kapazität
$C_R$	Rated capacitance	Nennkapazität
$\Delta C$	Absolute capacitance change	Absolute Kapazitätsänderung
ΔC/C	Relative capacitance change (relative deviation of actual value)	Relative Kapazitätsänderung (relative Abweichung vom Ist-Wert)
$\Delta C/C_R$	Capacitance tolerance (relative deviation	Kapazitätstoleranz (relative Abweichung
	from rated capacitance)	vom Nennwert)
dt	Time differential	Differentielle Zeit
$\Delta t$	Time interval	Zeitintervall
ΔΤ	Absolute temperature change (self-heating)	Absolute Temperaturänderung (Selbsterwärmung)
$\Delta tan \delta$	Absolute change of dissipation factor	Absolute Änderung des Verlustfaktors
$\Delta V$	Absolute voltage change	Absolute Spannungsänderung
dV/dt	Time differential of voltage function (rate of voltage rise)	Differentielle Spannungsänderung (Spannungsflankensteilheit)
$\Delta V/\Delta t$	Voltage change per time interval	Spannungsänderung pro Zeitintervall
E	Activation energy for diffusion	Aktivierungsenergie zur Diffusion
ESL	Self-inductance	Eigeninduktivität
ESR	Equivalent series resistance	Ersatz-Serienwiderstand
f	Frequency	Frequenz
f <sub>1</sub>	Frequency limit for reducing permissible AC voltage due to thermal limits	Grenzfrequenz für thermisch bedingte Reduzierung der zulässigen Wechselspannung
$f_2$	Frequency limit for reducing permissible AC voltage due to current limit	Grenzfrequenz für strombedingte Reduzierung der zulässigen Wechselspannung
$f_r$	Resonant frequency	Resonanzfrequenz
$F_D$	Thermal acceleration factor for diffusion	Therm. Beschleunigungsfaktor zur Diffusion
$F_T$	Derating factor	Deratingfaktor
i	Current (peak)	Stromspitze
Ic	Category current (max. continuous current)	Kategoriestrom (max. Dauerstrom)





# $\label{eq:mkp} \textbf{MKP DC link} - \textbf{high density THB series}$

Symbol	English	German
I <sub>RMS</sub>	(Sinusoidal) alternating current,	(Sinusförmiger) Wechselstrom
	root-mean-square value	
i <sub>z</sub>	Capacitance drift	Inkonstanz der Kapazität
$k_0$	Pulse characteristic	Impulskennwert
L <sub>S</sub>	Series inductance	Serieninduktivität
λ	Failure rate	Ausfallrate
$\lambda_0$	Constant failure rate during useful	Konstante Ausfallrate in der
	service life	Nutzungsphase
$\lambda_{test}$	Failure rate, determined by tests	Experimentell ermittelte Ausfallrate
$P_{diss}$	Dissipated power	Abgegebene Verlustleistung
$P_{gen}$	Generated power	Erzeugte Verlustleistung
Q	Heat energy	Wärmeenergie
ρ	Density of water vapor in air	Dichte von Wasserdampf in Luft
R	Universal molar constant for gases	Allg. Molarkonstante für Gas
R	Ohmic resistance of discharge circuit	Ohmscher Widerstand des
		Entladekreises
$R_{i}$	Internal resistance	Innenwiderstand
R <sub>ins</sub>	Insulation resistance	Isolationswiderstand
$R_P$	Parallel resistance	Parallelwiderstand
$R_s$	Series resistance	Serienwiderstand
S	severity (humidity test)	Schärfegrad (Feuchtetest)
t	Time	Zeit
Т	Temperature	Temperatur
τ	Time constant	Zeitkonstante
tan $\delta$	Dissipation factor	Verlustfaktor
$tan \; \delta_{\scriptscriptstyle D}$	Dielectric component of dissipation factor	Dielektrischer Anteil des Verlustfaktors
tan $\delta_P$	Parallel component of dissipation factor	Parallelanteil des Verlfustfaktors
tan $\delta_{s}$	Series component of dissipation factor	Serienanteil des Verlustfaktors
T <sub>A</sub>	Temperature of the air surrounding the component	Temperatur der Luft, die das Bauteil umgibt
$T_{max}$	Upper category temperature	Obere Kategorietemperatur
T <sub>min</sub>	Lower category temperature	Untere Kategorietemperatur
t <sub>OL</sub>	Operating life at operating temperature	Betriebszeit bei Betriebstemperatur und
	and voltage	-spannung
T <sub>op</sub>	Operating temperature, $T_A + \Delta T$	Beriebstemperatur, $T_A + \Delta T$
T <sub>R</sub>	Rated temperature	Nenntemperatur
T <sub>ref</sub>	Reference temperature	Referenztemperatur
t <sub>SL</sub>	Reference service life	Referenz-Lebensdauer





# MKP DC link - high density THB series

Symbol	English	German
$V_{AC}$	AC voltage	Wechselspannung
$V_{C}$	Category voltage	Kategoriespannung
$V_{C,RMS}$	Category AC voltage	(Sinusförmige)
		Kategorie-Wechselspannung
$V_{CD}$	Corona-discharge onset voltage	Teilentlade-Einsatzspannung
$V_{ch}$	Charging voltage	Ladespannung
$V_{DC}$	DC voltage	Gleichspannung
$V_{\sf FB}$	Fly-back capacitor voltage	Spannung (Flyback)
$V_{i}$	Input voltage	Eingangsspannung
$V_{o}$	Output voltage	Ausgangssspannung
$V_{op}$	Operating voltage	Betriebsspannung
$V_p$	Peak pulse voltage	Impuls-Spitzenspannung
$V_{pp}$	Peak-to-peak voltage Impedance	Spannungshub
$V_R$	Rated voltage	Nennspannung
ν̂ <sub>R</sub>	Amplitude of rated AC voltage	Amplitude der Nenn-Wechselspannung
$V_{RMS}$	(Sinusoidal) alternating voltage, root-mean-square value	(Sinusförmige) Wechselspannung
$V_{SC}$	S-correction voltage	Spannung bei Anwendung "S-correction"
$V_{sn}$	Snubber capacitor voltage	Spannung bei Anwendung
		"Beschaltung"
Z	Impedance	Scheinwiderstand
е	Lead spacing	Rastermaß



# **Important** notes

The following applies to all products named in this publication:

- 1. Some parts of this publication contain statements about the suitability of our products for certain areas of application. These statements are based on our knowledge of typical requirements that are often placed on our products in the areas of application concerned. We nevertheless expressly point out that such statements cannot be regarded as binding statements about the suitability of our products for a particular customer application. As a rule, EPCOS is either unfamiliar with individual customer applications or less familiar with them than the customers themselves. For these reasons, it is always ultimately incumbent on the customer to check and decide whether an EPCOS product with the properties described in the product specification is suitable for use in a particular customer application.
- 2. We also point out that in individual cases, a malfunction of electronic components or failure before the end of their usual service life cannot be completely ruled out in the current state of the art, even if they are operated as specified. In customer applications requiring a very high level of operational safety and especially in customer applications in which the malfunction or failure of an electronic component could endanger human life or health (e.g. in accident prevention or lifesaving systems), it must therefore be ensured by means of suitable design of the customer application or other action taken by the customer (e.g. installation of protective circuitry or redundancy) that no injury or damage is sustained by third parties in the event of malfunction or failure of an electronic component.
- 3. The warnings, cautions and product-specific notes must be observed.
- 4. In order to satisfy certain technical requirements, some of the products described in this publication may contain substances subject to restrictions in certain jurisdictions (e.g. because they are classed as hazardous). Useful information on this will be found in our Material Data Sheets on the Internet (www.epcos.com/material). Should you have any more detailed questions, please contact our sales offices.
- 5. We constantly strive to improve our products. Consequently, the products described in this publication may change from time to time. The same is true of the corresponding product specifications. Please check therefore to what extent product descriptions and specifications contained in this publication are still applicable before or when you place an order. We also reserve the right to discontinue production and delivery of products. Consequently, we cannot guarantee that all products named in this publication will always be available. The aforementioned does not apply in the case of individual agreements deviating from the foregoing for customer-specific products.
- Unless otherwise agreed in individual contracts, all orders are subject to the current version of the "General Terms of Delivery for Products and Services in the Electrical Industry" published by the German Electrical and Electronics Industry Association (ZVEI).



#### Important notes

- 7. Our manufacturing sites serving the automotive business apply the IATF 16949 standard. The IATF certifications confirm our compliance with requirements regarding the quality management system in the automotive industry. Referring to customer requirements and customer specific requirements ("CSR") TDK always has and will continue to have the policy of respecting individual agreements. Even if IATF 16949 may appear to support the acceptance of unilateral requirements, we hereby like to emphasize that only requirements mutually agreed upon can and will be implemented in our Quality Management System. For clarification purposes we like to point out that obligations from IATF 16949 shall only become legally binding if individually agreed upon.
- 8. The trade names EPCOS, CeraCharge, CeraDiode, CeraLink, CeraPad, CeraPlas, CSMP, CTVS, DeltaCap, DigiSiMic, ExoCore, FilterCap, FormFit, LeaXield, MiniBlue, MiniCell, MKD, MKK, MotorCap, PCC, PhaseCap, PhaseCube, PhaseMod, PhiCap, PowerHap, PQSine, PQvar, SIFERRIT, SIFI, SIKOREL, SilverCap, SIMDAD, SiMic, SIMID, SineFormer, SIOV, ThermoFuse, WindCap are **trademarks registered or pending** in Europe and in other countries. Further information will be found on the Internet at www.epcos.com/trademarks.

Release 2018-06