

FORM Identifier: F 108 Revision: 03 Page: 1/1	Product specification for inductive components	MAGNETEC GmbH Industriestrasse 7 D-63505 Langenselbold
---	---	---



Client:	MAGNETEC GmbH	Magnetec P/N:	M-039	Magnetec A/N:	12045
Client's P/N:	/	PS Index:	01	PS Revision:	02
Subject:	EMC Wandler			Type:	E

1. Mechanical Outline Nominal core dimensions: 40,0 x 25,0 x 15,0 Finished product dimensions: OD ≤ 41,8 ID ≥ 23,2 H ≤ 17,2 [dimensions] = mm		
--	--	--

2. Core data			
Core material:	NANOPERM®	$L_{Fe} = 10,03 \text{ cm}$	$A_{Fe} = 0,88 \text{ cm}^2$
Nominal values:	Permeability level	@ frequency	@ H_{max}
	>70 000	10 kHz	2,77 mA/cm

3. Inspection values				
	Measured value	Measurement limits	Frequency	$I_{eff} \times N$ [mA x turn]
	AL [μH]	> 70,0 -	10 kHz	20

4. Core finishing	
Type:	Epoxy coated
Marking:	MAGNETEC M-039-01 YM
Packaging:	24 pcs. per layer; 5 layers per carton box; PU = 120 pcs.

5. Comments:	
	<input checked="" type="checkbox"/> Date code (YM) on marking acc. to IEC 62 5.1; YM = production year and month <input checked="" type="checkbox"/> RoHS compliant acc. to Directive 2002/95/EC

Index / Revision	Alteration	Date
01 / 00	Product Specification	21.07.2000
01 / 01	PU = 120 pcs.	11.07.2006
01 / 02	New format	29.08.2007

Created:	A. Kovách	Approved (Techn):	F. Zámberszky	Approved (Quality):	V. Kaposztas	Released:	F. Rauscher
	29.08.2007		05.09.2007		02.10.2007		02.10.2007