







LEPCOS (North-West Laboratory)


http://ferrite.ru Tel/fax +7-812-369-11-54
St-Petersburg, Russia

REVISIONS

REV	SYM	DRAFTER	CHECKER	DATE
△		YAN.TANG	W.H.HSU	06/16/07
△		YAN.TANG	G.F.YANG	03/18/08
△		YAN.TANG	G.F.YANG	12/10/09



DWG NO.	EFD15-12P-GW-2.5-0F-1				
PART NO.	MATERIAL (BOBBIN)	MATERIAL (TERMINAL)	TERMINAL (PLATING)	PIN ALLOCATION	NOTE
TBI-107-03061.103	PM-9630	PB (C5191) △	Sn	ALL PIN (A)= 0.4±0.1 (B)=7.7±0.15	



TOLERANCE: .X±0.15 .XX±0.10 .XXX±0.05

UNIT : m / m

SCALE 3 : 1

Finish: 1. PB wire Immersion Sn on terminal : Thickness:Sn plating,100,5 μm (200 μ inches) min,Base nickel 0.625 μm (25 μ inches) min.
2. CP wire Immersion Sn on terminal : Thickness:Sn plating,100,5 μm (200 μ inches) min.
3. Coplanarity deviation: 0.10 mm (0.004 inches) max.

REV

5